


Page 1/7

Safety Data Sheet acc. to OSHA HCS



· Additional information For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 2)



Page 2/7

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/11/2022

Reviewed on 07/11/2022

Trade name: Sandblasting material M

4 First-aid measures

· Description of first aid measures

- General information No special measures required.
- After inhalation Supply fresh air; consult doctor in case of complaints.
- After skin contact immediately wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing
- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- Information for doctor
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available. • Advice for firefighters
 - · Protective equipment: No special measures required.
- · Additional information -

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- No dangerous substances are released.
- See Section 8 for information on personal protection equipment.

7 Handling and storage

- · Handling
 - Precautions for safe handling No special measures required.
 - · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
 - Storage

· Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

(Contd. on page 3)

us



Page 3/7

Safety Data Sheet acc. to OSHA HCS

Printing date 07/11/2022

*

Reviewed on 07/11/2022

Trade name: Sandblasting material M

(Contd. of page 2)

	ormation about design of tech	ical systems: No further data; see item 7.
Control para	-	
	nts with limit values that require	monitoring at the workplace:
	minium oxide	inenie ing at the nempiace.
PEL Long-ter	m value: 15*; 5** mg/m³ st; ** Respirable fraction	
REL Long-ter	m value: 10* 5** mg/m³ tal dust**Respirable/pyro powd./w	elding f.
	m value: 1* mg/m³ s respirable fraction, A4	
· Additio	nal information: The lists that we	re valid during the creation were used as basis.
Genera The usu Breathi Protect Check recomm Mate The	ng equipment: Not required. ion of hands: protective gloves prior to each use pended p rial of gloves	ndling chemicals should be followed. for their proper condition.
furth prep calcu Pen The glov For mat Buty Nitril	er marks of quality and varies fro aration of several substances, lated in advance and has therefor etration time of glove material exact break through time has to es and has to be observed.	does not only depend on the material, but also on m manufacturer to manufacturer. As the product is the resistance of the glove material can not b re to be checked prior to the application. be found out by the manufacturer of the protectiv imum of 15 minutes gloves made of the followin <i>(</i> . clothing
furth prep calcu · Pen The glovu · For mate Buty Nitril · Eye pro · Body p	er marks of quality and varies fro aration of several substances, lated in advance and has therefor etration time of glove material exact break through time has to es and has to be observed. the permanent contact of a max erials are suitable: I rubber, BR e rubber, NBR otection: Not absolutely necessar rotection: Light weight protective	m manufacturer to manufacturer. As the product is the resistance of the glove material can not b re to be checked prior to the application. be found out by the manufacturer of the protectiv imum of 15 minutes gloves made of the followin /.
furth prep calcu · Pen The glovu · For mate Buty Nitril · Eye pro · Body p	er marks of quality and varies fro aration of several substances, lated in advance and has therefor etration time of glove material exact break through time has to es and has to be observed. the permanent contact of a max erials are suitable: I rubber, BR e rubber, NBR otection: Not absolutely necessar	m manufacturer to manufacturer. As the product is the resistance of the glove material can not b re to be checked prior to the application. be found out by the manufacturer of the protectiv imum of 15 minutes gloves made of the followin /.
furth prep calco Pen The glov For mate Buty Nitril Eye pro Body p 9 Physical an Information c General In Appear	er marks of quality and varies fro aration of several substances, lated in advance and has therefore etration time of glove material exact break through time has to es and has to be observed. The permanent contact of a max erials are suitable: I rubber, BR e rubber, NBR otection: Not absolutely necessar rotection: Light weight protective and chemical properties n basic physical and chemical p formation ance:	m manufacturer to manufacturer. As the product is the resistance of the glove material can not b re to be checked prior to the application. be found out by the manufacturer of the protectiv imum of 15 minutes gloves made of the followin /. clothing
furth prep calco Pen The glov For mate Buty Nitril Eye pro Body p 9 Physical an Information o General In Appear For	er marks of quality and varies fro aration of several substances, lated in advance and has therefore etration time of glove material exact break through time has to es and has to be observed. The permanent contact of a max erials are suitable: I rubber, BR e rubber, NBR otection: Not absolutely necessar rotection: Light weight protective and chemical properties n basic physical and chemical p formation ance: n:	m manufacturer to manufacturer. As the product is the resistance of the glove material can not b re to be checked prior to the application. be found out by the manufacturer of the protectiv imum of 15 minutes gloves made of the followin /. clothing properties Powder
furth prep calco Pen The glov For mate Buty Nitril Eye pro Body p 9 Physical an General In Appear Forr Colo	er marks of quality and varies fro aration of several substances, lated in advance and has therefore exact break through time has to es and has to be observed. The permanent contact of a max erials are suitable: I rubber, BR e rubber, NBR otection: Not absolutely necessar rotection: Light weight protective and chemical properties n basic physical and chemical properties formation ance: n: or:	m manufacturer to manufacturer. As the product is the resistance of the glove material can not b re to be checked prior to the application. be found out by the manufacturer of the protectiv imum of 15 minutes gloves made of the followin /. clothing properties Powder Grey
furth prep calco Pen The glov For mate Buty Nitril Eye pro Body p 9 Physical an General In Appear Forr Colo	er marks of quality and varies fro aration of several substances, lated in advance and has therefore etration time of glove material exact break through time has to es and has to be observed. The permanent contact of a max erials are suitable: I rubber, BR e rubber, NBR otection: Not absolutely necessar rotection: Light weight protective and chemical properties n basic physical and chemical properties formation ance: n: or:	m manufacturer to manufacturer. As the product is the resistance of the glove material can not b re to be checked prior to the application. be found out by the manufacturer of the protectiv imum of 15 minutes gloves made of the followin /. clothing properties Powder
furth prep calco Pen The glov For mate Buty Nitril Eye pro Body p 9 Physical an General In Appear Forr Colo	er marks of quality and varies fro aration of several substances, lated in advance and has therefore exact break through time has to es and has to be observed. The permanent contact of a maximized erails are suitable: I rubber, BR e rubber, NBR otection: Not absolutely necessary rotection: Light weight protective and chemical properties n basic physical and chemical pro- formation ance: n: preshold:	m manufacturer to manufacturer. As the product is the resistance of the glove material can not b re to be checked prior to the application. be found out by the manufacturer of the protectiv imum of 15 minutes gloves made of the followin (, clothing properties Powder Grey Odorless Not determined.
furth prep calco Pen The glove For mate Buty Nitril Eye pro Body p 9 Physical an Information of General In Appear Forr Colo Odor: Odor th pH-value:	er marks of quality and varies fro aration of several substances, lated in advance and has therefore exact break through time has to es and has to be observed. The permanent contact of a max erials are suitable: I rubber, BR e rubber, NBR otection: Not absolutely necessary rotection: Light weight protective and chemical properties n basic physical and chemical pro- formation ance: n: or: meshold:	m manufacturer to manufacturer. As the product is the resistance of the glove material can not b re to be checked prior to the application. be found out by the manufacturer of the protectiv imum of 15 minutes gloves made of the followin /. clothing properties Powder Grey Odorless
furth prep calco Pen The glov For mate Buty Nitril Eye pro Body p 9 Physical an Appear Forr Colo Odor: Odor th pH-value:	er marks of quality and varies fro aration of several substances, lated in advance and has therefore exact break through time has to es and has to be observed. The permanent contact of a max erials are suitable: I rubber, BR e rubber, NBR otection: Not absolutely necessary rotection: Light weight protective and chemical properties in basic physical and chemical pro- formation ance: n: or: meshold: Not	m manufacturer to manufacturer. As the product is the resistance of the glove material can not b re to be checked prior to the application. be found out by the manufacturer of the protectiv imum of 15 minutes gloves made of the followin (, clothing properties Powder Grey Odorless Not determined.



Page 4/7

Safety Data Sheet acc. to OSHA HCS

Printing date 07/11/2022

Reviewed on 07/11/2022

Trade name: Sandblasting material M

	(Contd. of pa
· Flash point:	Not applicable
 Flammability (solid, gaseous) 	Not determined.
 Decomposition temperature: 	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard. Not determined.
· Explosion limits: · Lower: · Upper:	Not determined. Not determined.
· Vapor pressure:	Not applicable.
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	3.280 g/cm³ (27.3716 lbs/gal) Not determined. Not applicable. Not applicable.
 Solubility in / Miscibility with Water: 	Insoluble
· Partition coefficient (n-octanol/wa	ter): Not determined.
 Viscosity: dynamic: kinematic: 	Not applicable. Not applicable.
· Solvent content:	
· Solids content:	100.0 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: none

11 Toxicological information

Information on toxicological effects
 Acute toxicity:

· LD/LC50 values that are relevant for classification:

1344-28-1 aluminium oxide

Oral LD50 >15,900 mg/kg (rat) (OECD 401)

Inhalative LC0/4h >2.3 mg/L (rat) (OECD 403)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 5)



Page 5/7

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/11/2022

Reviewed on 07/11/2022

Trade name: Sandblasting material M

· Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

• NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• Reproductive toxicity Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

Aquatic toxicity:

1344-28-1 aluminium oxide

EC50/72h >100 mg/l (algae)

EC50/48h >100 mg/l (daphnia)

LC50/96h >100 mg/l (fish)

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

• Mobility in soil No further relevant information available.

- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
 - **PBT:** Not applicable.
 - · vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation Smaller quantities can be disposed of with household waste.

· Uncleaned packagings:

• Recommendation: Packaging can be reused or recycled after cleaning.

14 Transport information

· UN-Number

DOT, ADR, ADN, IMDG, IATA

Void

(Contd. on page 6)



Page 6/7

Safety Data Sheet acc. to OSHA HCS

Printing date 07/11/2022

Reviewed on 07/11/2022

Trade name: Sandblasting material M

		(Contd. of page 5
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void	
 Transport hazard class(es) 		
DOT, ADR, ADN, IMDG, IATA Class	Void	
· Packing group · DOT, ADR, IMDG, IATA	Void	
• Environmental hazards: • Marine pollutant:	No	
· Special precautions for user	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	ll of Not applicable.	
· Transport/Additional information:	-	
· UN "Model Regulation":	Void	

5 Regulatory information · Safety, health and environmental regulations/legislation specific for the substance o	r miytur
No further relevant information available.	i iiiixtui t
Sara	
 SARA Section 355 (extremely hazardous substances) 	
None of the ingredients is listed.	
· SARA Section 313 (specific toxic chemical listings)	
1344-28-1 aluminium oxide	
Proposition 65	
· Prop 65 - Chemicals known to cause cancer	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
 Chemicals known to cause reproductive toxicity for males: 	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Cancerogenity categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
1344-28-1 aluminium oxide	A4
 NIOSH-Ca (National Institute for Occupational Safety and Health) 	
None of the ingredients is listed.	
• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

(Contd. on page 7)



Page 7/7

Safety Data Sheet acc. to OSHA HCS

Printing date 07/11/2022

Reviewed on 07/11/2022

Trade name: Sandblasting material M

(Contd. of page 6)

119

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. • **Date of preparation / last revision** 07/11/2022 / 2

Abbreviations and acronyms:
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit *** Data compared to the previous version altered.**