



**Safety Data Sheet
according to WHS Regulations**

Printing date 16.11.2022

Version number 4

Revision: 16.11.2022

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

· **Product identifier**

· **Trade name:** **Signum matrix Matrix, Opal, MD, SD**

· **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture** Veneering resin

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**
Kulzer Australia Pty Ltd
Unit 20, 53 Lorraine St
PEAKHURST NSW 2210
Australia

Tel: +61 (02) 9153 0311

· **Informing department:** see above

· **Emergency telephone number:**

Poison Information Number: Australia 13 11 26 & New Zealand 0800 764 766

2 Hazard(s) Identification

· **Classification of the substance or mixture**

Skin Sens. 1 H317 May cause an allergic skin reaction.

· **Label elements**

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labelling:**

triethylen glycol dimethacrylate

· **Hazard statements**

May cause an allergic skin reaction.

· **Precautionary statements**

Wear protective gloves / eye protection.

IF ON SKIN: Wash with plenty of soap and water.

· **Other hazards -**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition and Information on Ingredients

· **Chemical characterisation: Mixtures**

· **Description:** Product based on methacrylates

· **Dangerous components:** Void

(Contd. on page 2)

AU



**Safety Data Sheet
according to WHS Regulations**

Printing date 16.11.2022

Version number 4

Revision: 16.11.2022

Trade name: Signum matrix Matrix, Opal, MD, SD

(Contd. of page 1)
· **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **Description of first aid measures**
 - **After inhalation** Supply fresh air; consult doctor in case of symptoms.
 - **After skin contact**
Instantly wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
 - **After eye contact**
Rinse opened eye for several minutes under running water. Then consult doctor.
 - **After swallowing**
Rinse out mouth and then drink plenty of water.
In case of persistent symptoms consult doctor.
 - **Information for doctor**
 - **Most important symptoms and effects, both acute and delayed** Allergic reactions
 - **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Extinguishing media**
 - **Suitable extinguishing agents**
CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
 - **Protective equipment:** No special measures required.
- **Additional information** -

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**
Avoid contact with eyes and skin.
- **Environmental precautions:** Prevent material from reaching sewage system, holes and cellars.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).
- **Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.
-

7 Handling and Storage

- **Handling**
 - **Precautions for safe handling** No special measures required.
 - **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
 - **Storage**
 - **Requirements to be met by storerooms and containers:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.

(Contd. on page 3)



**Safety Data Sheet
according to WHS Regulations**

Printing date 16.11.2022

Version number 4

Revision: 16.11.2022

Trade name: Signum matrix Matrix, Opal, MD, SD

(Contd. of page 2)

- **Further information about storage conditions:** Store cool (not above 25 °C).
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
 - **Components with critical values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Not required.

· DNELs		
109-16-0 triethylen glycol dimethacrylate		
Oral	general population, long term, systemic	8.33 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.9 mg/Kg/d (not defined)
	general population, long term, systemic	8.33 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	48.5 mg/m3 (not defined)
	general population, long term, systemic	14.5 mg/m3 (not defined)
41637-38-1 bisphenol a polyethylene glycol diether dimethacrylate		
Oral	general population, long term, systemic	5 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	140 mg/Kg/d (not defined)
	general population, long term, systemic	50 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	98.7 mg/m3 (not defined)
	general population, long term, systemic	17.4 mg/m3 (not defined)
131-57-7 Oxybenzone		
Oral	general population, long term, systemic	2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	39 mg/Kg/d (not defined)
	general population, long term, systemic	20 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	27.7 mg/m3 (not defined)
	general population, long term, systemic	6.8 mg/m3 (not defined)
80-62-6 methyl methacrylate		
Oral	general population, long term, systemic	8.2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.67 mg/Kg/d (not defined)
	general population, long term, systemic	8.2 mg/Kg/d (not defined)
Inhalative	worker industrial, acute, local	416 mg/m3 (not defined)
	worker industrial, long term, systemic	348.4 mg/m3 (not defined)
	worker industrial, long term, local	208 mg/m3 (not defined)
	general population, acute, local	208 mg/m3 (not defined)
	general population, long term, systemic	74.3 mg/m3 (not defined)
· PNECs		
109-16-0 triethylen glycol dimethacrylate		
freshwater		0.016 mg/l (not defined)
marine water		0.002 mg/l (not defined)
sewage treatment plant		1.7 mg/l (not defined)
sediment, dry weight, freshwater		0.185 mg/Kg (not defined)

(Contd. on page 4)



Safety Data Sheet
according to WHS Regulations

Printing date 16.11.2022

Version number 4

Revision: 16.11.2022

Trade name: Signum matrix Matrix, Opal, MD, SD

(Contd. of page 3)

sediment, dry weight, marine water	0.018 mg/Kg (not defined)
soil, dry weight	0.027 mg/Kg (not defined)
131-57-7 Oxybenzone	
freshwater	0.00067 mg/l (not defined)
marine water	0.000067 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	0.066 mg/Kg (not defined)
sediment, dry weight, marine water	0.007 mg/Kg (not defined)
soil, dry weight	0.013 mg/Kg (not defined)
80-62-6 methyl methacrylate	
freshwater	0.94 mg/l (not defined)
marine water	0.094 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	10.2 mg/Kg (not defined)
sediment, dry weight, marine water	0.102 mg/Kg (not defined)
soil, dry weight	1.48 mg/Kg (not defined)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Wash hands during breaks and at the end of the work.

· **Breathing equipment:** Not necessary if room is well-ventilated.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition.
recommended

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Butyl rubber, BR

Nitrile rubber, NBR

· **Eye protection:** Tightly sealed safety glasses.

· **Body protection:** Light weight protective clothing

AU

(Contd. on page 5)



Safety Data Sheet
according to WHS Regulations

Printing date 16.11.2022

Version number 4

Revision: 16.11.2022

Trade name: Signum matrix Matrix, Opal, MD, SD

(Contd. of page 4)

9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

- **Form:** Fluid
- **Colour:** Beige
- **Smell:** Odourless
- **Odour threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

- **Melting point/freezing point:** Not determined
- **Initial boiling point and boiling range:** 250 °C

· **Flash point:** >150 °C

· **Inflammability (solid, gaseous)** Not applicable.

· **Decomposition temperature:** Not determined.

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.
Not determined.

· **Critical values for explosion:**

- **Lower:** Not determined.
- **Upper:** Not determined.

· **Steam pressure:** Not determined.

· **Density** Not determined

- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix

· **Partition coefficient: n-octanol/water:** Not determined.

· **Viscosity:**

- **dynamic:** Not determined.
- **kinematic:** Not determined.

· **Solvent content:**

· **Water:** 2.3-<3.7 %

· **Solids content:** 0.0 %

· **Other information** No further relevant information available.

10 Stability and Reactivity

· **Reactivity** No further relevant information available.

· **Chemical stability**

- **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.

(Contd. on page 6)



**Safety Data Sheet
according to WHS Regulations**

Printing date 16.11.2022

Version number 4

Revision: 16.11.2022

Trade name: Signum matrix Matrix, Opal, MD, SD

- **Hazardous decomposition products:** None
- **Additional information:**
If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

(Contd. of page 5)

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

109-16-0 triethylen glycol dimethacrylate

Oral	LD50	8,300 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (mouse)

68611-44-9 Silane, dichlorodimethyl-, reaction products with silica

Oral	LD50	>5,000 mg/kg (rat)
Inhalative	LC0/4h	0.477 mg/L (rat)

41637-38-1 bisphenol a polyethylene glycol diether dimethacrylate

Oral	LD50	>2,000 mg/kg (rat) (OECD 423)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)

131-57-7 Oxybenzone

Oral	LD50	>12,800 mg/kg (rat) (OECD 401)
Dermal	LD50	>16,000 mg/kg (rabbit) (OECD 402)

80-62-6 methyl methacrylate

Oral	LD50	~7,900 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (guinea pig) (OECD 402)
Inhalative	LC50/4 h	29.8 mg/l (rat)

- **Respiratory or skin sensitisation** No sensitizing effect known.
- **Additional toxicological information:**
The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

12 Ecological Information

- **Toxicity**

· **Aquatic toxicity:**

65997-17-3 Glaspulver

EC50/72h	>1,000 mg/l (daphnia)
LC50/96h	>1,000 mg/l (fish)
ErC50 / 72 h	>1,000 mg/l (algae)
NOEC / 72h	1,000 mg/l (algae)
	1,000 mg/l (daphnia)

109-16-0 triethylen glycol dimethacrylate

EC50/21d	51.9 mg/L (daphnia) (OECD 211)
LC50/96h	16.4 mg/l (fish) (OECD 203)

(Contd. on page 7)



**Safety Data Sheet
according to WHS Regulations**

Printing date 16.11.2022

Version number 4

Revision: 16.11.2022

Trade name: Signum matrix Matrix, Opal, MD, SD

(Contd. of page 6)

NOEC / 21d	32 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>100 mg/l (algae) (OECD 201)
NOEC / 72h	18.6 mg/l (algae) (OECD 201)
EbC50 / 72h	72.8 mg/l (algae) (OECD 201)

68611-44-9 Silane, dichlorodimethyl-, reaction products with silica

LC50/96h	>10,000 mg/l (fish) (OECD 203)
ErC50 / 72 h	>10,000 mg/l (algae) (OECD 201)
EC50 / 24h	>10,000 mg/l (daphnia) (OECD 202)

41637-38-1 bisphenol a polyethylene glycol diether dimethacrylate

LL50/96h	>100 mg/L (fish) (OECD 203)
EL50/48h	>100 mg/L (daphnia) (OECD 202)
EL50/72h	>100 mg/L (algae) (OECD 201)
NOEC / 21d	≥0.00224 mg/l (daphnia) (OECD 211)

131-57-7 Oxybenzone

EC50/48h	1.87 mg/l (daphnia) (OECD 202)
LC50/96h	3.8 mg/l (fish) (OECD 203)
ErC50 / 72 h	0.67 mg/l (algae) (OECD 201)
NOEC / 72h	0.18 mg/l (algae) (OECD 201)
NOEC / 96h	0.72 mg/l (fish) (OECD 203)
NOEC / 48h	1.15 mg/l (daphnia) (OECD 202)

80-62-6 methyl methacrylate

EC50/21d	49 mg/L (daphnia) (OECD 211)
EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)
NOEC / 21d	37 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>110 mg/l (algae) (OECD 201)
NOEC / 72h	110 mg/l (algae) (OECD 201)
NOEC / 48h	48 mg/l (daphnia) (EPA OTS 797.1300)
EbC50 / 72h	>110 mg/l (algae) (OECD 201)
NOEC/ 35d	9.4 mg/L (fish) (OECD 210)
LC50/ 35d	33.7 mg/L (fish) (OECD 210)

· Persistence and degradability

109-16-0 triethylen glycol dimethacrylate

Biodegradation	85 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)
----------------	--

41637-38-1 bisphenol a polyethylene glycol diether dimethacrylate

Biodegradation	24 % /28d (not defined) (OECD 301D)
----------------	-------------------------------------

131-57-7 Oxybenzone

Biodegradation	60-70 % /28d (not defined)
----------------	----------------------------

80-62-6 methyl methacrylate

Biodegradation	94 % /14d (not defined) (OECD 301C)
----------------	-------------------------------------

· Behaviour in environmental systems:

· Bioaccumulative potential

131-57-7 Oxybenzone

Bloconcentration factor (BCF)	>33-<160 (fish) (OECD 305)
-------------------------------	----------------------------

· Mobility in soil No further relevant information available.

(Contd. on page 8)



**Safety Data Sheet
according to WHS Regulations**

Printing date 16.11.2022

Version number 4

Revision: 16.11.2022

Trade name: Signum matrix Matrix, Opal, MD, SD

(Contd. of page 7)

- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.
- **Uncleaned packagings:**
 - **Recommendation:**
Disposal must be made according to official regulations.
Non contaminated packagings can be used for recycling.

14 Transport information

· UN-Number · ADG, ADN, IMDG, IATA	Void
· UN proper shipping name · ADG, ADN, IMDG, IATA	Void
· Transport hazard class(es) · ADG, ADN, IMDG, IATA · Class	Void
· Packing group · ADG, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	-
· UN "Model Regulation":	Void

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

· Australian Inventory of Industrial Chemicals	
24448-20-2	2-Propenoic acid, 2-methyl-, 1,1'-[(1-methylethylidene)bis(4,1-phenyleneoxy-2,1-ethanediyl)]ester
109-16-0	triethylen glycol dimethacrylate
131-57-7	Oxybenzone

(Contd. on page 9)



Safety Data Sheet
according to WHS Regulations

Printing date 16.11.2022

Version number 4

Revision: 16.11.2022

Trade name: Signum matrix Matrix, Opal, MD, SD

(Contd. of page 8)

68187-15-5	Zirconia Praseodymium Yellow Zircon
24650-42-8	2,2-dimethoxy-1,2-diphenylethan-1-one
128-37-0	2,6-di-tert-butyl-p-cresol
10373-78-1	dl-bornane-2,3-dione
68186-88-9	Zinc iron chromite brown spinel
68186-91-4	Kupfer-, Chrom-, Eisenoxid-Spinell
5870-38-2	Diethyl-(2,5-dihydroxyterephthalat)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Sens. 1: Skin sensitisation – Category 1

· * **Data compared to the previous version altered.**