

Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2024

Version number 5 (replaces version 3)

Revision: 05.12.2024

SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
 - · Trade name: Signum metal bond I
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Metal-Resin Bonding System
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- · Informing department: E-Mail: msds@kulzer-dental.com
- 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
 - Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling: acetone
- · Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. P210

No smoking.

P261 Avoid breathing mist/vapours/spray. P280 Wear protective gloves / eye protection.

P337+P313 If eye irritation persists: Get medical advice/attention.

Additional information:

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

· 2.3 Other hazards -

(Contd. on page 2)



Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2024 Version number 5 (replaces version 3) Revision: 05.12.2024

Trade name: Signum metal bond I

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable. (Contd. of page 1)

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
 - Description: -

Description.		
· Dangerous components:		
CAS: 67-64-1 EINECS: 200-662-2 Index number: 606-001-00-8 Reg.nr.: 01-2119471330-49-xxxx	acetone Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336 EUH066	>90%
CAS: 85590-00-7 EC number: 874-929-2	10-(Phosphonooxy)decyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	0-5%
CAS: 64-19-7 EINECS: 200-580-7 Index number: 607-002-00-6 Reg.nr.: 01-2119475328-30-XXXX	acetic acid Flam. Liq. 3, H226 Skin Corr. 1A, H314; Eye Dam. 1, H318 (Specific concentration limits: Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 25 % ≤ C < 90 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	≥1-<3%

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - · After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact

Instantly rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

- IE



Page 3/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2024

Version number 5 (replaces version 3)

Revision: 05.12.2024

Trade name: Signum metal bond I

(Contd. of page 2)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
 - · Protective equipment:

Wear self-contained breathing apparatus.

- Wear full protective suit.
- Additional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with eyes and skin.

Use breathing protection against the effects of fumes/dust/aerosol.

- · 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

Ensure adequate ventilation.

Send for recovery or disposal in suitable containers.

6.4 Reference to other sections

See Section 13 for information on disposal.

See Section 8 for information on personal protection equipment.

-

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - Requirements to be met by storerooms and containers: Store in cool location.
 - Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions:
 - Store in cool, dry conditions in well sealed containers.
- · 7.3 Specific end use(s) No further relevant information available.

10



Page 4/11

Safety data sheet according to 1907/2006/EC, Article 31

Version number 5 (replaces version 3) Printing date 05.12.2024 Revision: 05.12.2024

Trade name: Signum metal bond I

(Contd. of page 3)

	ol parameters	tioal value	o that ragging	monitoring at the workplace:
67-64-1 ad		licai vaiue	es mai require	e monitoring at the workplace:
		Long torm	. value: 1210 n	ng/m³ 500 nnm
		Long-term value: 1210 mg/m³, 500 ppm IOELV		
IOELV (Eu	uropean Union)	Long-term	n value: 1210 n	ng/m³, 500 ppm
64-19-7 ad	cetic acid			
OEL (Ireland) Short-ter Long-teri IOELV		Long-term	-term value: 50 mg/m³, 20 ppm term value: 25 mg/m³, 10 ppm V	
			nort-term value: 50 mg/m³, 20 ppm ong-term value: 25 mg/m³, 10 ppm	
· DNI	ELs			
67-64-1 ad	cetone			
Oral	general population, long term, systemic		erm, systemic	62 mg/Kg (not defined)
Dermal	worker industrial, long te		m, systemic	186 mg/Kg/d (not defined)
	general popula	tion, long term, systemic		62 mg/Kg/d (not defined)
Inhalative	worker industri	ial, long term, systemic		1,210 mg/m3 (not defined)
	worker industri	al, long ter	m, local	2,420 mg/m3 (not defined)
general population, long term,		erm, systemic	200 mg/m3 (not defined)	
· PNI	ECs			
67-64-1 ad	cetone			
freshwater		10.6 mg/l (not defined)		
marine water		1.06 mg/l (rabbit)		
sewage treatment plant		19.5 mg/l (not	defined)	
sediment, dry weight, freshwater		30.4 mg/Kg (ne	ot defined)	
sediment, dry weight, marine water		3.04 mg/Kg (ne	ot defined)	
a a il alm con a i a la t		0 110	•	

[·] Additional information: The lists that were valid during the compilation were used as basis.

0.112 mg/Kg (not defined)

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures

Avoid contact with the eyes.
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Filter AX.

(Contd. on page 5)



Page 5/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2024

Version number 5 (replaces version 3)

(Contd. of page 4)

Revision: 05.12.2024

Not neccessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the

Check protective gloves prior to each use for their proper condition.

recommended

Material of gloves

Trade name: Signum metal bond I

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following material's are suitable:

Butyl rubber, BR Nitrile rubber, NBR

- Eye/face protection Tightly sealed safety glasses.
- Body protection:

Protective work clothing.

Light weight protective clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state · Colour:

· Smell: Odour threshold:

· Melting point/freezing point:

· Boiling point or initial boiling point and boiling range

· Flammability

· Lower and upper explosion limit

Lower: Upper:

· Flash point:

· Auto-ignition temperature:

Decomposition temperature:

SADT

pH at 20 °C

Kinematic viscosity

· Viscosity:

Fluid

Colourless Acetone-like

Not determined.

Not determined

55 °C

Not applicable.

2.6 Vol % 13.0 Vol %

-3 °C

465 °C (67-64-1 acetone)

Not determined.

Not determined.

(Contd. on page 6)



Page 6/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2024 Version number 5 (replaces version 3) Revision: 05.12.2024

Trade name: Signum metal bond I

(Contd. of page 5)

· Kinematic viscosity

dynamic:

Solubility

Not miscible or difficult to mix · Water:

· Partition coefficient n-octanol/water (log

value) Not determined.

Steam pressure at 20 °C: 247 hPa

Vapour pressure:

Density and/or relative density

Density Not determined · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

No further relevant information available.

Not determined.

· Appearance:

Form:

Fluid

· Important information on protection of health

and environment, and on safety.

Self-inflammability:

Product is not selfigniting. · Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures is possible.

· Change in condition

Evaporation rate Not determined.

· Information with regard to physical hazard classes

Explosives Void Flammable gases Void · Aerosols Void Void

Oxidising gases
Gases under pressure Void

Flammable liquids Highly flammable liquid and vapour.

· Flammable solids Void Void · Self-reactive substances and mixtures · Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void

Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void

Corrosive to metals Void · Desensitised explosives Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 7)



Page 7/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2024

Version number 5 (replaces version 3)

Revision: 05.12.2024

Trade name: Signum metal bond I

(Contd. of page 6)

- · 10.2 Chemical stability
 - Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
 - · Additional information: -

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
 - · Acute toxicity Based on available data, the classification criteria are not met.

· LD/	LC50 valu	es that are relevant for classification:	
67-64-1 ac	cetone		
Oral	LD50	5,800 mg/kg (rat)	
Dermal	LD50	>15,800 mg/kg (rabbit)	
Inhalative	LC50/4 h	76 mg/l (rat)	
64-19-7 ac	cetic acid		
Oral	LD50	3,310 mg/kg (rat)	
Inhalative	LC50/4 h	11.4 mg/l (rat) (OECD 403)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Subacute to chronic toxicity:

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.

· 11.2 Information on other hazards

· Endocrine disrupting properties	
128-37-0 2,6-di-tert-butyl-p-cresol	List II

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic t	oxicity:
67-64-1 acet	fone
EC50/48h	8,800 mg/l (daphnia)

(Contd. on page 8)



Page 8/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2024

Version number 5 (replaces version 3)

Revision: 05.12.2024

Trade name: Signum metal bond I

	(Contd. of page 7)	
LC50/96h	6,210 mg/l (fish) (OECD 203)	
64-19-7 acet	ic acid	
EC50/48h	>300.82 mg/l (daphnia) (OECD 202)	
LC50/96h	>1,000 mg/l (fish) (OECD 203)	
ErC50 / 72 h	>1,000 mg/l (algae)	
NOEC / 72h	1,000 mg/l (algae)	
NOEC / 96h	1,000 mg/l (fish) (OECD 203)	
12.2 Persiste	ence and degradability	
67-64-1 acet	67-64-1 acetone	

Biodegradation 90.9 % /28d (not defined) (OECD 301D)

64-19-7 acetic acid

Biodegradation 96 % /20d (not defined)

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage

Disposal must be made according to official regulations.

· European waste catalogue

18 01 06* chemicals consisting of or containing hazardous substances

- Uncleaned packagings:
 - Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

SECTION 14: Transport information · 14.1 UN number or ID number · ADR, IMDG, IATA UN1090 · 14.2 UN proper shipping name 1090 ACETONE solution · ADR · IMDG, IATA ACETONE solution

(Contd. on page 9)



Page 9/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2024

Version number 5 (replaces version 3)

Revision: 05.12.2024

Trade name: Signum metal bond I

	(Contd. of page
· 14.3 Transport hazard class(es)	
· ADR	
· Class · Label	3 (F1) Flammable liquids. 3
· IMDG, IATA	
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG, IATA	II .
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Kemler Number: · EMS Number: · Stowage Category	Warning: Flammable liquids. 33 F-E,S-D E
· 14.7 Maritime transport in bulk according to instruments	o IMO Not applicable.
· Transport/Additional information:	-
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inne packaging: 30 ml
· Transport category · Tunnel restriction code	Maximum net quantity per oute packaging: 500 ml 2 D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inne
	packaging: 30 ml Maximum net quantity per oute packaging: 500 ml
	(Contd. on page 1



Page 10/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2024

Version number 5 (replaces version 3)

Revision: 05.12.2024

Trade name: Signum metal bond I

(Contd. of page 9)

· UN "Model Regulation":

UN 1090 ACETONE SOLUTION, 3, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - · Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
 - Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
 - · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
 - DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

no information available

- Annex II REPORTABLE EXPLOSIVES PRECURSORS
- 67-64-1 acetone
 - · Regulation (EC) No 273/2004 on drug precursors
- 67-64-1 acetone

3

- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
- 67-64-1 acetone

3

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases
- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- EUH066 Repeated exposure may cause skin dryness or cracking.
- Date of previous version: 03.08.2022
- Version number of previous version: 3
- · Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

(Contd. on page 11)



Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2024

Version number 5 (replaces version 3)

Revision: 05.12.2024

Trade name: Signum metal bond I

(Contd. of page 10)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning thé

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IMDS: International National Code to Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
* Pata compared to the provious version altered

* Data compared to the previous version altered.