

Page 1/9

Revision: 14.07.2022

Tel.: +49 (0)800 4372522

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2022

undertaking

Version number 2 (replaces version 1)

SECTION 1: Identification of the substance/mixture and of the company/

1.1 Product identifier

- Trade name: PalaXtreme Powder
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Manufacture of dental prothesis
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

· Informing department: E-Mail: msds@kulzer-dental.com

· 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 (M=10) Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
 - · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

· Additional information:

Contains methyl methacrylate, 2-ethylhexyl thioglycolate, dibenzoyl peroxide. May produce an allergic reaction.

- · 2.3 Other hazards -
 - · Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
 - Description: -

· Dangerous components:		
CAS: 72846-00-5 EINECS: 276-940-2 Reg.nr.: 01-2120226211-75- XXXX	1-benzyl-5-phenylbarbituric acid Acute Tox. 4, H302; Eye Irrit. 2, H319	0-5%
CAS: 80-62-6 EINECS: 201-297-1	methyl methacrylate Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	≥0.1-<1%
CAS: 7659-86-1 EINECS: 231-626-4	2-ethylhexyl thioglycolate Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Skin Sens. 1B, H317 ATE: LD50 oral: 303 mg/kg	≥0.25-<1%

(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2022 Version number 2 (replaces version 1) Revision: 14.07.2022

Trade name: PalaXtreme Powder

		(Contd. of page 1)
CAS: 94-36-0	dibenzoyl peroxide	≥0.1-<0.25%
EINECS: 202-327-6	Self-react. B, H241; Org. Perox. B, H241 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10) Eye Irrit. 2, H319; Skin Sens. 1, H317	

SECTION 4: First aid measures

- 4.1 Description of first aid measures
 - General information No special measures required.
 - After inhalation Supply fresh air; consult doctor in case of symptoms.
 - After skin contact instantly wash with water and soap and rinse thoroughly.
 - After eye contact Rinse opened eye for several minutes under running water.
 - After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
 - Protective equipment: No special measures required.
 - · Additional information -

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- 6.3 Methods and material for containment and cleaning up: Collect mechanically.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
 - Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.

(Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2022 Version number 2 (replaces version 1) Revision: 14.07.2022

Trade name: PalaXtreme Powder

(Contd. of page 2)

Further information about storage conditions: None.
7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection · 8.1 Control parameters · Components with critical values that require monitoring at the workplace: 80-62-6 methyl methacrylate OEL (Ireland) Short-term value: 100 ppm Long-term value: 50 ppm IOELV, Sens IOELV (European Union) Short-term value: 100 ppm Long-term value: 50 ppm 94-36-0 dibenzoyl peroxide OEL (Ireland) Long-term value: 5 mg/m3 Sens · DNELs 80-62-6 methyl methacrylate Oral general population, long term, systemic 8.2 mg/Kg (not defined) Dermal worker industrial, long term, systemic 13.67 mg/Kg/d (not defined) general population, long term, systemic 8.2 mg/Kg/d (not defined) Inhalative worker industrial, acute, local 416 mg/m3 (not defined) worker industrial, long term, systemic 348.4 mg/m3 (not defined) worker industrial, long term, local 208 mg/m3 (not defined) 208 mg/m3 (not defined) general population, acute, local general population, long term, systemic 74.3 mg/m3 (not defined) 94-36-0 dibenzoyl peroxide general population, long term, systemic 2 mg/Kg (not defined) Oral Dermal 13.3 mg/Kg/d (not defined) worker industrial, long term, systemic Inhalative worker industrial, long term, systemic 39 mg/m3 (not defined) · PNECs 80-62-6 methyl methacrylate freshwater 0.94 mg/l (not defined) 0.094 mg/l (not defined) marine water sewage treatment plant 10 mg/l (not defined) sediment, dry weight, freshwater 10.2 mg/Kg (not defined) sediment, dry weight, marine water 0.102 mg/Kg (not defined) soil, dry weight 1.48 mg/Kg (not defined) 94-36-0 dibenzoyl peroxide freshwater 0.00002 mg/l (not defined) marine water 0.000002 mg/l (not defined) sewage treatment plant 0.35 mg/l (not defined) sediment, dry weight, freshwater 0.013 mg/Kg (not defined) sediment, dry weight, marine water 0.001 mg/Kg (not defined) soil, dry weight 0.003 mg/Kg (not defined) (Contd. on page 4)



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2022 Version number 2 (replaces version 1) Revision: 14.07.2022

Trade name: PalaXtreme Powder

(Contd. of page 3)

Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

· Breathing equipment: Not necessary if room is well-ventilated.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

· Eye/face protection Safety glasses

· Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical stateColour:Smell:Solid.WhiteOdourless

· Odour threshold: Not determined. · Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range Not determined Not determined.

Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable
Decomposition temperature: Not determined.

SADT

· **pH** Not applicable.

Viscosity:

• Kinematic viscosity
• dynamic:
Not applicable.
Not applicable.

· Solubility

Water: Insoluble

(Contd. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2022 Version number 2 (replaces version 1) Revision: 14.07.2022

Trade name: PalaXtreme Powder

(Contd. of page 4)

Partition coefficient n-octanol/water (log

value)Not determined.Steam pressure:Not applicable.

Density and/or relative density

Density
Relative density
Vapour density
Not applicable.

Particle characteristics See item 3.

• **9.2 Other information** No further relevant information available.

Appearance:

Form: Powder

Important information on protection of health and environment, and on safety.

• Self-inflammability: Product is not selfigniting. • Explosive properties: Product is not explosive.

Not determined.

· Change in condition

· Evaporation rate Not applicable.

· Information with regard to physical hazard classes

Explosives Void · Flammable gases Void · Aerosols Void Oxidising gases
Gases under pressure Void Void · Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void Void

flammable gases in contact with water
Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Desensitised explosives
Void
Void
Void
Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - Conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
 - · Additional information: -

IE -



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2022 Version number 2 (replaces version 1) Revision: 14.07.2022

Trade name: PalaXtreme Powder

(Contd. of page 5)

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

· LD/	LD/LC50 values that are relevant for classification:		
72846-00-	72846-00-5 1-benzyl-5-phenylbarbituric acid		
Oral	LD50	500 mg/kg (rat) (OECD 423)	
80-62-6 m	ethyl met	hacrylate	
Oral	LD50	~7,900 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (guinea pig) (OECD 402)	
Inhalative	LC50/4 h	29.8 mg/l (rat)	
7659-86-1	7659-86-1 2-ethylhexyl thioglycolate		
Oral	LD50	303 mg/kg (ATE)	
		303 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)	
94-36-0 dibenzoyl peroxide			
Oral	LD0	>2,000 mg/kg (mouse) (OECD 401)	
Inhalative	LC0/4h	24.3 ppm (rat) (OECD 403)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
 - Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

	,	
· Aquatic	toxicity:	
80-62-6 met	hyl methacrylate	
EC50/21d	49 mg/L (daphnia) (OECD 211)	
EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)	
NOEC / 21d	37 mg/l (daphnia) (OECD 211)	
ErC50 / 72 h	>110 mg/l (algae) (OECD 201)	
NOEC / 72h	110 mg/l (algae) (OECD 201)	
NOEC / 48h	48 mg/l (daphnia) (EPA OTS 797.1300)	
EbC50 / 72h	>110 mg/l (algae) (OECD 201)	
NOEC/ 35d	9.4 mg/L (fish) (OECD 210)	
LC50/ 35d	33.7 mg/L (fish) (OECD 210)	
	·	(Contd. on page 7)



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2022 Version number 2 (replaces version 1) Revision: 14.07.2022

Trade name: PalaXtreme Powder

		(Contd. of page 6
7659	9-86-1 2-€	ethylhexyl thioglycolate
EC5	0/48h	0.39 mg/l (daphnia) (OECD 202)
ErC:	50 / 72 h	0.62 mg/l (algae) (OECD 201)
ErC	10/72h	0.42 mg/L (algae) (OECD 201)
94-3	6-0 diber	nzoyl peroxide
EC5	50/72h	0.042 mg/l (algae) (OECD 201)
EC5	50/48h	0.11 mg/l (daphnia) (OECD 202)
LC5	0/96h	0.06 mg/l (fish) (OECD 203)
ErC:	50 / 72 h	0.071 mg/l (algae) (OECD 201)
NOE	EC / 72h	0.02 mg/l (algae) (OECD 201)
NOE	EC / 96h	0.032 mg/l (fish) (OECD 203)
NOE	EC / 48h	0.076 mg/l (daphnia) (OECD 202)
ErC	10	0.001 mg/L /21d (daphnia) (OECD 211)
· 12.2	Persiste	nce and degradability
80-6	32-6 meth	yl methacrylate
Bioa	legradatio	n 94 % /14d (not defined) (OECD 301C)
7659	9-86-1 2-6	ethylhexyl thioglycolate
Bioa	legradatio	n 82 % /28d (not defined) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)
94-3	36-0 diber	nzoyl peroxide
Bioa	legradatio	n 71 % /28d (not defined) (OECD 301D)

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
 - Additional ecological information:
 - General notes: Avoid transfer into the environment.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· European waste catalogue

18 01 06* chemicals consisting of or containing hazardous substances

- · Uncleaned packagings:
 - Recommendation:

Disposal must be made according to official regulations. Non contaminated packagings can be used for recycling.

---- II



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2022 Version number 2 (replaces version 1) Revision: 14.07.2022

Trade name: PalaXtreme Powder

(Contd. of page 7)

SECTION 14: Transport informati	on	
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accordin IMO instruments	g to Not applicable.	
· Transport/Additional information:	-	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H241 Heating may cause a fire or explosion.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- Date of previous version: 24.05.2022
- Version number of previous version: 1
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

(Contd. on page 9)



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2022

Version number 2 (replaces version 1)

Revision: 14.07.2022

Trade name: PalaXtreme Powder

(Contd. of page 8)

SADT: Self Accelerating Decomposition Temperature
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement
Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Self-react: B: Self-reactive substances and mixtures – Type B Org. Perox. B: Organic peroxides – Type B Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Irrit. 2: Skin corrosion/irritation — Category 2
Eye Irrit. 2: Skin corrosion/irritation — Category 2
Skin Sens. 1: Skin sensitisation — Category 1
Skin Sens. 1B: Skin sensitisation — Category 1B
STOT SE 3: Specific target organ toxicity (single exposure) — Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard — Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3

* Data compared to the previous version altered.